





WIRING DEVICES
GALION
— STYLE —
Without
BORDERS



-> CATALOGUE PAGES INSIDE



THE GLOBAL SPECIALIST
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES





Perfect
— FOR —
**TRENDY
INTERIOR
DESIGNS**






The Galion range of wiring devices is a reflection of contemporary style and functionality designed to marry borderless design with quality and function. **Crafted with excellence, it uses only the best quality components.**

CONTENTS

- 02-03 ELEGANT DETAILS THAT MAKE THE DIFFERENCE
- 04-05 MINIMALIST DESIGN WITH MAXIMUM FUNCTIONALITY
- 06-07 A GOOD PLACE TO STAY
- 08-09 FEEL JUST LIKE HOME
- 10-11 FINEST QUALITY COMPONENTS & MATERIAL
- 12-13 STRENGTH AND EASY INSTALLATION
- 14-20 CATALOGUE PAGES

ELEGANT
DETAILS
That Make
— THE —
DIFFERENCE



DARK SILVER



WITH ITS FULL PLATE
AND ITS BORDERLESS
AESTHETICS GALION
SUITS ANY INTERIOR
DESIGN STYLE.




MATT BLACK



CHAMPAGNE



ROSE GOLD



WHITE



Slim and fine chamfering at the edges and a slightly curved plate: these details make the difference for an even more refined product.

The delicate silver or electroplated bar accentuates the modern and exquisite elements of a minimalist design.

minimalist
DESIGN
WITH
Maximum
FUNCTIONALITY



CONTROL MECHANISMS




16 A single pole switches: 1 and 2-way and from 1 to 4-gang



20 A double pole switch:
2-way with LED power indicator



20 A double pole switch:
1-gang - 1-way with LED
and "water heater" marking



16 A push buttons with
or without bell marking



LED rotary dimmer



Stepless fan control



45 A double pole switch with
red rocker, 1-gang, 1-way

GALION OFFERS
A WIDE SELECTION
OF FUNCTIONS TO SATISFY
THE REQUIREMENTS
OF A WIDE RANGE
OF PROJECTS.


SOCKET OUTLETS



13 A British standard socket
outlet with Type-A USB charger



13 A British standard socket
outlet with Type-C USB charger



Euro-US standard socket outlet




13 A 2-gang British standard socket outlet with
Type-A and Type-C USB chargers




16 A 2-gang Multistandard socket outlet with Type-A
and Type-C USB chargers


DATA SOCKET OUTLETS



TV-R-SAT socket




Television socket "F" type



Double USB Type-A charger



Data sockets: simple and double RJ 45 Cat. 5e and Cat. 6



A
GOOD
Place
TO STAY



THE DEDICATED HOSPITALITY FUNCTIONS MAKE GALION A SOLUTION PERFECTLY ADAPTED TO THE NEEDS OF A MODERN GUEST ROOM.



DND/CUR control units for the guest room



Indicator lamp and bell button



Electromechanical or RFID Keycard switches



USB and HDMI sockets



Shaver sockets



1 and 2-gang multistandard socket outlets with USB chargers

The multistandard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C, 15W. With USB Type-C making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A



TYPE-C



FEEL
JUST
LIKE
Home



FEEL JUST LIKE HOME, BUT WITH THE ADDED CONVENIENCE OF HOTEL SERVICES. GALION PROVIDES ALL FUNCTIONS REQUIRED FOR WELL-EQUIPPED AND COMFORTABLE SERVICED APARTMENTS.



The universal dimmer dims and controls dimmable LEDs and CFL, halogen or incandescent lamps. It enables customers to benefit from the entire potential of modern loads, helping them to create cosy interiors.




LED rotary dimmer



13 A 1-gang fused connection unit, with switch and LED power indicator



45 A double pole switch 1-gang - 1-way, with LED and red rocker



45 A cooker unit

THE ARTEOR ADAPTOR
It allows to integrate Arteor mechanisms like automatic switches, skirting lights, sensitive switches etc. for any installation requiring special functions.





legrand

FINEST
Quality
**COMPONENTS
& MATERIAL**



13A



RELIABLE PROTECTION

Shutters are encased in fibreglass nylon for reliable protection. Sockets are tested to withstand more than 10 000 operations.



INCREASED SAFETY

Made from best-in-class fire retardant PC material for greater safety.



PERFECT CONDUCTIVITY


With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.



Strength
— AND —
EASY
INSTALLATION


COMPLETE PRODUCT

1 CATALOGUE NUMBER = 1 READY TO INSTALL PRODUCT FOR QUICK SELECTION




STRENGTH IN ELEGANCE

A honeycomb design support frame ensures optimum stability and strength.



CLASSY SIMPLICITY

A soft protective film ensures devices stay neat and tidy during installation.



EASY INSTALLATION

The new saddle-shaped terminal can fix up to three 4 mm² wires. For easy and safe installation.



2 824 00-C3



2 824 02-C



2 824 04-C1



2 824 06-C2



2 824 12

Conform to IEC 60669-1 standard. Polycarbonate front cover plates
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate
 Dim.: 86 x 88 mm

Pack Cat.Nos Single pole switches - 16 AX - 250 V~

Pack	Cat.Nos	Single pole switches - 16 AX - 250 V~
8	2 824 00	1 gang - 1-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 00-C	
8	2 824 00-C1	
8	2 824 00-C2	
8	2 824 00-C3	
8	2 824 01	1 gang - 2-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 01-C	
8	2 824 01-C1	
8	2 824 01-C2	
8	2 824 01-C3	
8	2 824 13	1 gang - intermediate ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 13-C	
8	2 824 13-C1	
8	2 824 13-C2	
8	2 824 13-C3	
8	2 824 02	2 gang - 1-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 02-C	
8	2 824 02-C1	
8	2 824 02-C2	
8	2 824 02-C3	
8	2 824 03	2 gang - 2-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 03-C	
8	2 824 03-C1	
8	2 824 03-C2	
8	2 824 03-C3	
8	2 824 04	3 gang - 1-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 04-C	
8	2 824 04-C1	
8	2 824 04-C2	
8	2 824 04-C3	
8	2 824 05	3 gang - 2-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 05-C	
8	2 824 05-C1	
8	2 824 05-C2	
8	2 824 05-C3	
8	2 824 06	4 gang - 1-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 06-C	
8	2 824 06-C1	
8	2 824 06-C2	
8	2 824 06-C3	
8	2 824 07	4 gang - 2-way ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 07-C	
8	2 824 07-C1	
8	2 824 07-C2	
8	2 824 07-C3	

Pack Cat.Nos Double pole switches 20 A - 250 V~

Pack	Cat.Nos	Double pole switches 20 A - 250 V~
		With amber LED power indicator
8	2 824 08	1 gang - 1-way - with earth link connector ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 08-C	
8	2 824 08-C1	
8	2 824 08-C2	
8	2 824 08-C3	
8	2 824 14	1 gang - 1-way - with "water heater" marking - with earth link connector ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 14-C	
8	2 824 14-C1	
8	2 824 14-C2	
8	2 824 14-C3	
8	2 824 12	1 gang - 2-way - with earth link connector ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 12-C	
8	2 824 12-C1	
8	2 824 12-C2	
8	2 824 12-C3	
		Push-buttons 16 A - 250 V~
8	2 824 11	1 gang - with "bell" marking ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 11-C	
8	2 824 11-C1	
8	2 824 11-C2	
8	2 824 11-C3	
8	2 824 10	1 gang - without marking ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 10-C	
8	2 824 10-C1	
8	2 824 10-C2	
8	2 824 10-C3	
8	2 824 91	2 gang - without marking ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 91-C	
8	2 824 91-C1	
8	2 824 91-C2	
8	2 824 91-C3	

Galion™

double pole switches 45 A, cooker units, dimmers, active compensator and fan controls



2 824 27-C



2 824 25



2 824 19-C1



2 824 90

Conform to IEC 60669-1 standard. Polycarbonate front cover plates
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate
Dim.: 86 x 88 mm

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
		With red LED power indicator
8	2 824 26	1 gang - 1-way <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	2 824 26-C	
8	2 824 26-C1	
8	2 824 26-C2	
8	2 824 26-C3	
8	2 824 27	1 gang - 1-way with red rocker <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	2 824 27-C	
8	2 824 27-C1	
8	2 824 27-C2	
8	2 824 27-C3	
8	2 824 28	1 gang - 1-way with "cooker" marking - with red rocker <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	2 824 28-C	
8	2 824 28-C1	
8	2 824 28-C2	
8	2 824 28-C3	
8	2 824 29	2 gang (vertical) - 1-way with red rocker Dim.: 86 x 146 mm <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
8	2 824 29-C	
8	2 824 29-C1	
8	2 824 29-C2	
8	2 824 29-C3	
		Cooker units - 250 V~
		Conform to IEC 60884-1 and IEC 60669-1 45 A double pole switch + 13 A British Standard switched socket and amber LED power indicators Dim.: 146 x 88 mm
5	2 824 25	<ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 25-C	
5	2 824 25-C1	
5	2 824 25-C2	
5	2 824 25-C3	

Pack	Cat.Nos	Dimmers
		100-240 V~, 50/60 Hz
		Rotary dimmers without neutral 40-500W For incandescent and halogen lamps 230V~
5	2 824 20	<ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 20-C	
5	2 824 20-C1	
5	2 824 20-C2	
5	2 824 20-C3	
		Rotary dimmers without neutral - 300 W RLC+LED Conform to IEC 60669-2-1 For all types of lamps: - dimmable LEDs: 5 W to 75 W - dimmable compact fluorescent lamps: 5 W to 75 W - halogen with ferromagnetic or electronic transformer: 5 VA to 300 VA - fluorescent tube - ballast: 5 VA to 300 VA - halogen and incandescent 230 V~: 5 W to 300 W
5	2 824 19	<ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 19-C	
5	2 824 19-C1	
5	2 824 19-C2	
5	2 824 19-C3	
		Active compensator
1	0 401 49	Makes 2-wire electronic lighting control units without neutral compatible with all commercially-available loads (LED, compact fluorescent, ELV halogen with ferromagnetic or electronic ballast, 230 V halogen, fluorescent tube, incandescent) Consumption: 0.4 W
		Stepless fan controls
		40-400 VA, 230 V~, 50/60 Hz
5	2 824 90	<ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 90-C	
5	2 824 90-C1	
5	2 824 90-C2	
5	2 824 90-C3	



2 824 32



2 824 33-C



2 824 83



2 824 43

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection
Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack	Cat.Nos	British Standard socket outlets 13 A - 250 V~
		Conform to BS 1363-2
		1 gang single pole - switched
8	2 824 32	○ White
8	2 824 32-C	● Matt Black
8	2 824 32-C1	● Rose Gold
8	2 824 32-C2	● Champagne
8	2 824 32-C3	● Dark Silver
		1 gang single pole - switched - with LED power indicator
8	2 824 80	○ White
8	2 824 80-C	● Matt Black
8	2 824 80-C1	● Rose Gold
8	2 824 80-C2	● Champagne
8	2 824 80-C3	● Dark Silver
		2 gang single pole - switched
5	2 824 33	○ White
5	2 824 33-C	● Matt Black
5	2 824 33-C1	● Rose Gold
5	2 824 33-C2	● Champagne
5	2 824 33-C3	● Dark Silver
		2 gang single pole - switched - with LED power indicator
5	2 824 81	○ White
5	2 824 81-C	● Matt Black
5	2 824 81-C1	● Rose Gold
5	2 824 81-C2	● Champagne
5	2 824 81-C3	● Dark Silver

Pack	Cat.Nos	British Standard socket outlets 15 A - 250 V~
		Conform to BS 546
		1 gang single pole - switched
8	2 824 37	○ White
8	2 824 37-C	● Matt Black
8	2 824 37-C1	● Rose Gold
8	2 824 37-C2	● Champagne
8	2 824 37-C3	● Dark Silver
		British Standard socket outlets 5 A - 250 V~
		Conform to BS 546
		1 gang single pole - switched
8	2 824 38	○ White
8	2 824 38-C	● Matt Black
8	2 824 38-C1	● Rose Gold
8	2 824 38-C2	● Champagne
8	2 824 38-C3	● Dark Silver

Pack	Cat.Nos	British Standard socket outlets 13 A - 250 V~ - with USB chargers
		Conform to BS 1363-2
		Consumption in passive mode < 0.08W
		1 gang single pole - switched, with USB charger Type-A
		2.4 A - 5V _{DC} - 12W
5	2 824 41	○ White
5	2 824 41-C	● Matt Black
5	2 824 41-C1	● Rose Gold
5	2 824 41-C2	● Champagne
5	2 824 41-C3	● Dark Silver
		1 gang single pole - switched, with USB charger Type-C
		3A - 5V _{DC} - 15W
5	2 824 83	○ White
5	2 824 83-C	● Matt Black
5	2 824 83-C1	● Rose Gold
5	2 824 83-C2	● Champagne
5	2 824 83-C3	● Dark Silver
		2 gang single pole - switched, with USB chargers Type-A and Type-C
		3 A - 5V _{DC} - 15W
5	2 824 43	○ White
5	2 824 43-C	● Matt Black
5	2 824 43-C1	● Rose Gold
5	2 824 43-C2	● Champagne
5	2 824 43-C3	● Dark Silver

Galion™

socket outlets, fused connection units and cable outlets



2 824 36



2 824 34-C1



2 824 85



2 824 53



2 824 52-C1

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection
Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack Cat.Nos EURO-US standard socket outlet 16A-250 V~

Pack	Cat.Nos	2P+E - 2 gang
8	2 824 36	○ White
8	2 824 36-C	● Matt Black
8	2 824 36-C1	● Rose Gold
8	2 824 36-C2	● Champagne
8	2 824 36-C3	● Dark Silver

Pack Cat.Nos Multistandard socket outlets 16 A - 250 V~

Pack	Cat.Nos	1 gang - switched
8	2 824 34	○ White
8	2 824 34-C	● Matt Black
8	2 824 34-C1	● Rose Gold
8	2 824 34-C2	● Champagne
8	2 824 34-C3	● Dark Silver

Pack	Cat.Nos	2 gang - switched
5	2 824 35	○ White
5	2 824 35-C	● Matt Black
5	2 824 35-C1	● Rose Gold
5	2 824 35-C2	● Champagne
5	2 824 35-C3	● Dark Silver

Pack Cat.Nos Multistandard socket outlets 16 A - 250 V~ - with USB chargers

Pack	Cat.Nos	1 gang - switched, with USB charger Type-A
5	2 824 42	○ White
5	2 824 42-C	● Matt Black
5	2 824 42-C1	● Rose Gold
5	2 824 42-C2	● Champagne
5	2 824 42-C3	● Dark Silver

Pack	Cat.Nos	1 gang - switched, with USB charger Type-C
5	2 824 85	○ White
5	2 824 85-C	● Matt Black
5	2 824 85-C1	● Rose Gold
5	2 824 85-C2	● Champagne
5	2 824 85-C3	● Dark Silver

Pack	Cat.Nos	2 gang - switched, with USB chargers Type-A and Type-C
5	2 824 44	○ White
5	2 824 44-C	● Matt Black
5	2 824 44-C1	● Rose Gold
5	2 824 44-C2	● Champagne
5	2 824 44-C3	● Dark Silver

Pack Cat.Nos Fused connection units - 13 A

Conform to BS 1363 part 4

Pack	Cat.Nos	1 gang
8	2 824 50	○ White
8	2 824 50-C	● Matt Black
8	2 824 50-C1	● Rose Gold
8	2 824 50-C2	● Champagne
8	2 824 50-C3	● Dark Silver

Pack	Cat.Nos	1 gang - with switch
8	2 824 51	○ White
8	2 824 51-C	● Matt Black
8	2 824 51-C1	● Rose Gold
8	2 824 51-C2	● Champagne
8	2 824 51-C3	● Dark Silver

Pack	Cat.Nos	1 gang - with switch + LED power indicator
8	2 824 53	○ White
8	2 824 53-C	● Matt Black
8	2 824 53-C1	● Rose Gold
8	2 824 53-C2	● Champagne
8	2 824 53-C3	● Dark Silver

Pack Cat.Nos Cable outlets

Pack	Cat.Nos	1 gang - 45 A
8	2 824 54	○ White
8	2 824 54-C	● Matt Black
8	2 824 54-C1	● Rose Gold
8	2 824 54-C2	● Champagne
8	2 824 54-C3	● Dark Silver

Pack	Cat.Nos	1 gang - 20 A
8	2 824 52	○ White
8	2 824 52-C	● Matt Black
8	2 824 52-C1	● Rose Gold
8	2 824 52-C2	● Champagne
8	2 824 52-C3	● Dark Silver

Galion™

TV, telephone and data sockets, USB chargers



2 824 57-C



2 824 49-C2



2 824 63-C1



2 824 47

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 88 mm

Pack Cat.Nos Television sockets

Pack	Cat.Nos	Image	Color
8	2 824 57		○ White
8	2 824 57-C		● Matt Black
8	2 824 57-C1		● Rose Gold
8	2 824 57-C2		● Champagne
8	2 824 57-C3		● Dark Silver

Single TV socket, Female

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Single TV sockets "F" type with screws, star attenuation < 1dB

SAT: 0 - 2400 MHz

Pack	Cat.Nos	Image	Color
8	2 824 49		○ White
8	2 824 49-C		● Matt Black
8	2 824 49-C1		● Rose Gold
8	2 824 49-C2		● Champagne
8	2 824 49-C3		● Dark Silver

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

TV-R-SAT sockets

Low attenuation: 1.5 dB

Pack	Cat.Nos	Image	Color
8	2 824 59		○ White
8	2 824 59-C		● Matt Black
8	2 824 59-C1		● Rose Gold
8	2 824 59-C2		● Champagne
8	2 824 59-C3		● Dark Silver

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Telephone sockets

Pack	Cat.Nos	Image	Color
8	2 824 45		○ White
8	2 824 45-C		● Matt Black
8	2 824 45-C1		● Rose Gold
8	2 824 45-C2		● Champagne
8	2 824 45-C3		● Dark Silver

RJ 11 socket

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Pack	Cat.Nos	Image	Color
8	2 824 46		○ White
8	2 824 46-C		● Matt Black
8	2 824 46-C1		● Rose Gold
8	2 824 46-C2		● Champagne
8	2 824 46-C3		● Dark Silver

Double RJ11 socket

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Data sockets

Pack	Cat.Nos	Image	Color
8	2 824 60		○ White
8	2 824 60-C		● Matt Black
8	2 824 60-C1		● Rose Gold
8	2 824 60-C2		● Champagne
8	2 824 60-C3		● Dark Silver

RJ 45 Cat. 5e UTP

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Pack	Cat.Nos	Image	Color
8	2 824 62		○ White
8	2 824 62-C		● Matt Black
8	2 824 62-C1		● Rose Gold
8	2 824 62-C2		● Champagne
8	2 824 62-C3		● Dark Silver

Double RJ 45 Cat. 5e UTP

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Pack	Cat.Nos	Image	Color
8	2 824 61		○ White
8	2 824 61-C		● Matt Black
8	2 824 61-C1		● Rose Gold
8	2 824 61-C2		● Champagne
8	2 824 61-C3		● Dark Silver

RJ 45 Cat.6 UTP

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Pack	Cat.Nos	Image	Color
8	2 824 63		○ White
8	2 824 63-C		● Matt Black
8	2 824 63-C1		● Rose Gold
8	2 824 63-C2		● Champagne
8	2 824 63-C3		● Dark Silver

Double RJ 45 Cat.6 UTP

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Pack Cat.Nos Double USB Type-A chargers

Pack	Cat.Nos	Image	Color
5	2 824 47		○ White
5	2 824 47-C		● Matt Black
5	2 824 47-C1		● Rose Gold
5	2 824 47-C2		● Champagne
5	2 824 47-C3		● Dark Silver

2.4 A - 5 V_{DC} - 12 W
Consumption in passive mode < 0.08 W

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

USB and HDMI data sockets

Pack	Cat.Nos	Image	Color
8	2 824 48		○ White
8	2 824 48-C		● Matt Black
8	2 824 48-C1		● Rose Gold
8	2 824 48-C2		● Champagne
8	2 824 48-C3		● Dark Silver

- White
- Matt Black
- Rose Gold
- Champagne
- Dark Silver

Galion™

hotel equipment



2 824 17



2 824 16








2 824 15-C1



2 824 39-C

Conform to IEC 60669 standard
 Polycarbonate front cover plates
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 88 mm

Pack	Cat.Nos	Hotel guest room indicators
1	2 824 17	<p>Enable the guest to inform hotel staff of the room status Two settings are possible: - do not disturb (DND) - please clean-up the room (CUR)</p> <p>Indicator lamp and bell button Installed in the corridor Double function: call indicator and bell button 1 gang, black touch plate</p> 
8	2 824 16	<p>DND/CUR control units for guest room Installed in the guest room Allow the user to select the desired setting</p>  <ul style="list-style-type: none"> ○ White (Silver bar) ● Matt Black (Electroplate bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	2 824 16-C	
8	2 824 16-C1	
8	2 824 16-C2	
8	2 824 16-C3	
5	2 824 15	<p>Keycard switches - 230 V~ - 16 A</p> <p>Supplied with one card</p>  <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 15-C	
5	2 824 15-C1	
5	2 824 15-C2	
5	2 824 15-C3	

Pack	Cat.Nos	RFID keycard switches - 230 V~ - 16 A
5	2 824 18	<p>Compatible with ISO type contactless keycards</p>  <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 18-C	
5	2 824 18-C1	
5	2 824 18-C2	
5	2 824 18-C3	
1	2 824 39	<p>Shaver sockets</p> <p>Conform to IEC 61558-2-8 115/230 V - 20 VA - 50/60 Hz Power supply: 230 V~ - 50/60 Hz Suitable for use with European, British, Australian, Chinese and US 2-pin plugs Dim: 86 x 146 mm 2 outputs</p>  <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
1	2 824 39-C	
1	2 824 39-C1	
1	2 824 39-C2	
1	2 824 39-C3	




2 824 70-C1




2 824 73-C2 + 2 824 01-C2 + 2 824 02-C2 + 2 824 83-C2





2 824 71-C2


Pack	Cat.Nos	Blanking plates
15	2 824 70	 <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
15	2 824 70-C	
15	2 824 70-C1	
15	2 824 70-C2	
15	2 824 70-C3	


Frames for multi-gang installation

Pack	Cat.Nos	2 gang frame
20	2 824 72	 <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
20	2 824 72-C	
20	2 824 72-C1	
20	2 824 72-C2	
20	2 824 72-C3	

Pack	Cat.Nos	3 gang frame
5	2 824 73	 <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 73-C	
5	2 824 73-C1	
5	2 824 73-C2	
5	2 824 73-C3	

Pack	Cat.Nos	4 gang frame
5	2 824 74	 <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 74-C	
5	2 824 74-C1	
5	2 824 74-C2	
5	2 824 74-C3	

Pack	Cat.Nos	5 gang frame
5	2 824 75	 <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
5	2 824 75-C	
5	2 824 75-C1	
5	2 824 75-C2	
5	2 824 75-C3	

Pack	Cat.Nos	Arteor adaptors
15	2 824 71	 <p>For 2-module products</p> <ul style="list-style-type: none"> ○ White ● Matt Black ● Rose Gold ● Champagne ● Dark Silver
15	2 824 71-C	
15	2 824 71-C1	
15	2 824 71-C2	
15	2 824 71-C3	



FOLLOW US ON

@ website: www.legrand.eg

f legrand

@ legrandegypt



EMB Electrical Industries S.A.E.

Headquarter office

Pyramids Heights Office Park
KM 22 Cairo - Alex. desert road
Building 1B, 12556
Tel.: +202 3536 0000
Fax: +202 3536 0001
www.legrand.eg